

Sheet 1 of 4

Form PTO-1449
(REV. 8-83)US Dept. of Commerce
PATENT & TRADEMARK OFFICEATTY DOCKET NO.
111664APPLICATION NO.
10/030,937

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

APPLICANTS
Dominique ROECKLIN et al.FILING DATE
May 24, 2002

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS
<i>L</i>	1	5,876,954	03/02/1999	Perron et al.	435	23

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS
<i>L</i>	2	JP A 8-308582	11/26/1996	Japan	—	—
<i>L</i>	3	CA 2,214,843	04/30/1999	Canada	—	—
<i>L</i>	4	WO 97/33466	09/18/1997	Wipo WO	—	—
<i>L</i>	5	WO 90/07712	07/12/1990	Wipo WO	—	—
<i>L</i>	6	WO 98/11439	03/19/1998	Wipo WO	—	—

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

<i>L</i>	7	Rieger et al., "Un facteur gliotoxique et la sclerose en plaques", C.R. Acad. Sci. Paris, Sciences de la vie/Life sciences, XP 000602023, pp. 343-350, 1996
<i>L</i>	8	Kisilevsky et al., "Arresting amyloidosis <i>in vivo</i> using small-molecule anionic sulphonates or sulphates: implications for Alzheimer's disease", Nature Medicine, Vol. 1, No. 2, pp.143-148, 1995
<i>L</i>	9	Conzelmann et al., "Purification and Characterization of an Activator Protein for the Degradation of Glycolipids GM ₂ and GA ₂ by Hexosaminidase A", Hoppe-Seyler's Z. Physiol. Chem., pp. 1837-1849, 1979, vol. 360
<i>L</i>	10	Hitomi et al., "A novel calcium-binding protein in amniotic fluid, CAAF1: its molecular cloning and tissue distribution", Journal of Cell Science, pp. 805-815, 1996, vol. 109
<i>L</i>	11	Raftery et al., "Isolation of the murine S100 protein MRP14 (14 kDa migration-inhibitory-factor-related protein) from activated spleen cells: characterization of post-translational modifications and zinc binding", Biochem J., pp. 285-293, 1996, vol. 316
<i>L</i>	12	Kase et al., "Only sphingolipid activator protein B (SAP-B or saposin B) stimulates the degradation of globotriaosylceramide by recombinant human lysosomal α -galactosidase in a detergent-free liposomal system", FEBS Letters, pp. 74-76, 1996, vol. 393
<i>L</i>	13	Bierfreund et al., "Recombinant GM2-Activator Protein Stimulates <i>In Vivo</i> Degradation of GA2 in GM2 Gangliosidosis AB Variant Fibroblasts But Exhibits No Detectable Binding of GA2 in an <i>In Vitro</i> Assay", Neurochemical Research, Vol. 24, No. 2, pp. 295-300, 1999
<i>L</i>	14	Longbottom et al., "Subunit structure of calgranulins A and B obtained from sputum, plasma, granulocytes and cultured epithelial cells", Biochimica et Biophysica Acta, pp. 215-222, 1992, vol. 1120
<i>L</i>	15	Raftery et al., "Overexpression, Oxidative Refolding, and Zinc Binding of Recombinant Forms of the Murine S100 Protein MRP14 (S100A9)", Protein Expression and Purification, pp. 228-235, 1999, vol. 15
<i>L</i>	16	Klempt et al., "The heterodimer of the Ca ²⁺ -binding proteins MRP8 and MRP14 binds arachidonic acid", FEBS Letters, pp. 81-84, 1997, vol. 408

Date: June 4, 2002

2/26/06



OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

✓		Kassam et al., "Colorimetric diagnosis of prolonged bluetongue viremia in sheep, using an enzyme-linked oligonucleotide sorbent assay of amplified viral nucleic acids", Am J Vet Res, Vol. 54, No. 12, pp. 2021-2026, 1993
✓	18	Toes et al., "Protective anti-tumor immunity induced by vaccination with recombinant adenoviruses encoding multiple tumor-associated cytotoxic T lymphocyte epitopes in a string-of-beads fashion", Proc. Natl. Acad. Sci., Vol. 94, pp. 14660-14665, 1997
✓	19	Bird et al., "Single-Chain Antigen-Binding Proteins", Science Reports, pp. 423-426, 1988, vol. 242
✓	20	Arakawa et al., "Cloning and Sequencing of the V _H and V _L Genes of an Anti-CD3 Monoclonal Antibody, and Construction of a Mouse/Human Chimeric Antibody", J. Biochem, pp. 657-662, Vol. 120, No. 3, 1996
✓	21	Chaudhary et al., "A recombinant immunotoxin consisting of two antibody variable domains fused to <i>Pseudomonas</i> exotoxin", Letters to Nature, Vol. 339, pp. 394-397, 1989
✓	22	Behr et al., "Efficient gene transfer into mammalian primary endocrine cells with lipopolyamine-coated DNA", Proc. Natl. Acad. Sci, Vol. 86, pp. 6982-6986, 1989
✓	23	Debrick et al., "Macrophages As Accessory Cells For Class I MHC-Restricted Immune Responses", The Journal of Immunology, Vol. 147, No. 9, pp. 2846-2851, 1991
✓	24	Kovacovics-Bankowski et al., "A Phagosome-to-Cytosol Pathway for Exogenous Antigens Presented on MHC Class I Molecules", Science Reports, Vol. 267, pp. 243-246, 1995
✓	25	Kovacovics-Bankowski et al., "Efficient major histocompatibility complex class I presentation of exogenous antigen upon phagocytosis by macrophages", Proc. Natl. Acad. Sci, Vol. 90, pp. 4942-4946, 1993
✓	26	Racoosin et al., "M-CSF-induced macropinocytosis increases solute endocytosis but not receptor-mediated endocytosis in mouse macrophages", Journal of Cell Science, pp. 867-880, 1992, vol. 102
✓	27	Finke et al., "Increase of proliferation rate and enhancement of antitumor cytotoxicity of expanded human CD3+ CD56+ immunologic effector cells by receptor-mediated transfection with the interleukin-7 gene", Gene Therapy, pp. 31-39, 1998, vol. 5
✓	28	Haensler et al., "Polyamidoamine Cascade Polymers Mediate Efficient Transfection of Cells in Culture", Bioconjugate Chem, pp. 372-379, 1993, vol. 4
✓	29	Deo et al., "Clinical significance of IgG Fc receptors and FcγR-directed immunotherapies", Immunology Today, Vol. 18, pp. 127-135, 1997
✓	30	Pessino et al., "Molecular Cloning of NKp46: A Novel Member of the Immunoglobulin Superfamily Involved in Triggering of Natural Cytotoxicity", J. Exp. Med, Vol. 188, No. 5, pp. 953-960, 1998
✓	31	Kawano et al., "Natural killer-like nonspecific tumor cell lysis mediated by specific ligand-activated Vα14 NKT cells", Proc. Natl. Acad. Sci., Vol. 95, pp. 5690-5693, 1998
✓	32	McCoy et al., "Pulmonary Inflammation Induced by Incomplete or Inactivated Adenoviral Particles", Human Gene Therapy, pp. 1553-1560, 1995, vol. 6
✓	33	Cotten et al., "Non-viral approaches to gene therapy", Current Biology, pp. 705-710, 1993
✓	34	Felgner et al., "Cationic liposome-mediated transfection", Nature, Vol. 337, pp. 387-388, 1989
✓	35	Felgner et al., "Lipofection: A highly efficient, lipid-mediated DNA-transfection procedure", Proc. Natl. Acad. Sci, Vol. 84, pp. 7413-7417, 1987
✓	36	Felgner et al., "Cationic Lipid-Mediated Delivery of Polynucleotides", Methods, pp. 67-75, 1993, vol. 5
✓	37	Gao et al., "A Novel Cationic Liposome Reagent For Efficient Transfection of Mammalian Cells", Biochemical and Biophysical Research Communication, Vol. 179, No. 1, pp. 280-285, 1991
✓	38	Groettrup et al., "Peptide antigen production by the proteasome: complexity provides efficiency", Immunology Today, Vol. 17, No 9, pp. 429-435, 1996
✓	39	Polydefkis et al., "Anchor Sequence-Dependent Endogenous Processing of Human Immunodeficiency Virus 1 Envelope Glycoprotein gp160 For CD4+ T Cell Recognition", J. Exp Med, Vol. 171, pp. 875-887, 1990
✓	40	Sallusto et al., "Dendritic Cells Use Macropinocytosis and the Mannose Receptor to Concentrate Macromolecules in the Major Histocompatibility Complex Class II Compartment: Downregulation by Cytokines and Bacterial Products", J. Exp. Med, Vol. 182, pp. 389-400, 1995
✓	41	Melero et al., "Amplification of tumor immunity by gene transfer of the co-stimulatory 4-1BB ligand: synergy with the CD28 co-stimulatory pathway", Eur. J. Immunol., pp. 1116-1121, 1998, vol. 28
✓	42	Whitton et al., "A "String-of-Beads" Vaccine, Comprising Linked Minigenes, Confers Protection from Lethal-Dose Virus Challenge", Journal of Virology, vol. 67, No. 1, pp. 348-352, 1993

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)		
43	Svensson et al., "Bone Marrow-Derived Dendritic Cells Can Process Bacteria for MHC-I and MHC-II Presentation to T Cells", The Journal of Immunology, pp. 4229-4236, 1997	
44	Norbury et al., "Constitutive macropinocytosis allows TAP-dependent major histocompatibility complex class I presentation of exogenous soluble antigen by bone marrow-derived dendritic cells", Eur. J. Immunol., pp. 280-288, 1997, vol. 27	
45	Routledge et al., "A humanized monovalent CD3 antibody which can activate homologous complement", Eur. J. Immunol, pp. 2717-2725, 1991, vol. 21	
46	Sousa et al., "Phagocytosis of Antigens by Langerhans Cells In Vitro", J. Exp. Med, Vol. 178, pp. 509-519, 1993	
47	Klein et al., "Sphingolipid Activator Protein D (<i>sap-D</i>) Stimulates the Lysosomal Degradation of Ceramide <i>In Vivo</i> ", Biochemical and Biophysical Research Communications, Vol. 200, No. 3, pp. 1440-1448, 1994	
48	Murao et al., "A Protein Complex Expressed during Terminal Differentiation of Monomyelocytic Cells Is an Inhibitor of Cell Growth", Cell Growth & Differentiation, Vol. 1, pp. 447-454, 1990	
49	Murthy et al., "In Vitro Candidastatic Properties of the Human Neutrophil Calprotectin Complex", Journal of Immunology, Vol. 151, No. 11, pp. 6291-6301, 1993	
50	Murdoch et al., "Primary Structure of the Human Heparan Sulfate Proteoglycan from Basement Membrane (HSPG2/Perlecan), The Journal of Biological Chemistry, Vol. 267, No. 12, pp. 8544-8557, 1992	
51	Zaltash et al., "Secondary structure and limited proteolysis give experimental evidence that the precursor of pulmonary surfactant protein B contains three saposin-like domains", FEBS Letters, pp. 1-4, 1998, vol. 423	
52	Lagasse et al., "Cloning and Expression of Two Human Genes Encoding Calcium-Binding Proteins That Are Regulated during Myeloid Differentiation", Molecular and Cellular Biology, Vol. 8, No. 6, pp. 2402-2410, 1988	
53	Kleinschmidt et al., "Complete Amino-Acid Sequence of the Naturally Occuring A ₂ Activator Protein for Enzymic Sphingomyelin Degradation: Identity to the Sulfatide Activator Protein (SAP-1)", Biol. Chem. Hoppe-Seyler, Vol. 369, pp. 1361-1365, 1988	
54	O'Brein et al., "Saposin proteins: structure, function, and role in human lysosomal storage disorders", The FASEB Journal, Vol. 5, pp. 301-308, 1991	
55	Roda et al., "Production of a High-Titer Antibody to Bile Acids", Journal of Steroid Biochemistry, Vol. 13, pp. 449-454, 1980	
56	Scheibenbogen et al., "A Sensitive ELISPOT Assay for Detection of CD8+ T Lymphocytes Specific for HLA Class I-binding Peptide Epitopes Derived from Influenza Proteins in the Blood of Healthy Donors and Melanoma Patients", Clinical Cancer Research, Vol. 3, pp. 221-226, 1997	
57	Misasi et al., "Colocalization and Complex Formation Between Prosaposin and Monosialoganglioside GM3 in Neural Cells", Journal of Neurochemistry, Vol. 71, No. 6, pp. 2313-2321, 1998	
58	Versteeg, "NK cells and T cells: mirror images?", Immunology Today, Vol. 13, No. 7, pp. 244-247, 1992	
59	George et al., "Disease susceptibility, transplantation and the MHC", Immunology Today, Vol. 16, No. 5, pp. 209-211, 1995	
60	Brittenden et al., "Natural Killer Cells and Cancer", Cancer, Vol. 77, No. 7, pp. 1226-1243, 1996	
61	Blazar et al., "Anti-CD3εF(ab) ₂ Fragments Inhibit T Cell Expansion in Vivo During Graft-Versus-Host Disease or the Primary Immune Response to Normal Antigen ^{1,2} ", The Journal of Immunology, pp. 5821-5833, 1997	
62	McLachlan et al., "Evaluation in vitro and in vivo of cationic liposome-expression construct complexes for cystic fibrosis gene therapy", Gene Therapy, pp. 614-622, 1995, vol. 2	
63	Behr et al., "Efficient gene transfer into mammalian primary endocrine cells with lipopolyamine-coated DNA", Proc. Natl. Acad. Sci., Vol. 96, pp. 6982-6986, 1989	
64	Waring et al., "Porcine Cerebroside Sulfate Activator (Saposin B) Secondary Structure: CD, FTIR, and NMR Studies", Molecular Genetics and Metabolism, pp. 14-25, 1998, vol. 63	
65	Anderson et al., "Antibodies to DNA", BioEssays, Vol. 8, No. 2, pp. 69-75, 1988	
66	Kohler et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature, Vol. 256, pp. 495-497, 1975	
67	Yajima et al., "SiC and Si ₃ N ₄ sintered bodies with new borodiphenylsiloxane polymers as binder", Nature, Vol. 266, pp. 522-524, 1977	

Date: June 4, 2002

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

2/24/06 ✓	68	Lee et al., "Functional groups on 'Z' DNA recognized by monoclonal antibodies", FEBS Letters, Vol. 168, No. 2, pp. 303-306, 1984
2/24/06 ✓	69	Malfoy et al., "Interaction between Antibodies to Z-Form Deoxyribonucleic Acid and Double-Stranded Polynucleotides", Biochemistry, pp. 5463-5467, 1982
2/24/06 ✓	70	Traincard et al., "Calibration of target amounts of DNA in hybridization experiments using monoclonal anti-nucleoside antibodies", Molecular and Cellular Probes, pp. 27-38, 1989, vol. 3
2/24/06 ✓	71	Traincard et al., "Monoclonal anti-nucleoside antibodies Characterization and application in an enzyme immunoassay of single-stranded DNA", Journal of Immunological Methods, pp. 83-91, 1989, vol. 123
2/24/06 ✓	72	Cros et al., "Monoclonal antibodies targeted to α -oligonucleotides. Characterisation and application in nucleic acid detection", Nucleic Acids Research, Vol. 22, No. 15, pp. 2951-2957, 1994
2/24/06 ✓	73	Li et al., "Presence of Activator Proteins for the Enzymic Hydrolysis of G_{M1} and G_{M2} Gangliosides in Normal Human Urine", Am J Hum Genet, pp. 629-634, 1983, vol. 35
2/24/06 ✓	74	Li et al., "A Protein Activator for the Enzymic Hydrolysis of G_{M2} Ganglioside", The Journal of Biological Chemistry, Vol. 256, No. 12, p. 6234-6240, 1981
2/24/06 ✓	75	Li et al., "An Activator Stimulating the Enzymic Hydrolysis of Sphingoglycolipids", The Journal of Biological Chemistry, Vol. 251, No. 4, pp. 1159-1163, 1976
2/24/06 ✓	76	Kishimoto et al., "Saposins: structure, function, distribution, and molecular genetics", Journal of Lipid Research, Vol. 33, pp. 1255-1267, 1992
2/24/06 ✓	77	Mallet et al., "Enzyme-Linked Oligosorbent Assay for Detection of Polymerase Chain Reaction-Amplified Human Immunodeficiency Virus Type 1", Journal of Clinical Microbiology, Vol. 31, No. 6, pp. 1444-1449, 1993
2/24/06 ✓	78	Saintigny et al., "Differential Expression of Calgranulin A and B in Various Epithelial Cell Lines and Reconstructed Epidermis", The Journal of Investigative Dermatology, pp. 639-644, 1992
2/24/06 ✓	79	Goebeler et al., "The monoclonal antibody MAC387 detects an epitope on the calcium-binding protein MRP14", Journal of Leukocyte Biology, Vol. 55, pp. 259-261, 1994
2/24/06 ✓	80	Qi et al., "Functional Human Saposins Expressed in <i>Escherichia coli</i> ", The Journal of Biological Chemistry, Vol. 269, No. 24, pp. 16746-16753, 1994
2/24/06 ✓	81	Yuziuk et al., "Specificity of Mouse G_{M2} Activator Protein and β -N-Acetylhexosaminidase A and B", The Journal of Biological Chemistry, Vol. 273, No. 1, pp. 66-72, 1998
2/24/06 ✓	82	DeGasperi et al., "Isolation and characterization of an activator protein for the hydrolysis of ganglioside G_{M2} from the roe of striped mullet (<i>Mugil cephalus</i>)", Biochem J., pp. 777-783, 1989
2/24/06 ✓	83	Vogel et al., "Identity of the Activator Proteins for the Enzymatic Hydrolysis of Sulfatide, Ganglioside G_{M1} , and Globotriaosylceramide", Archives of Biochemistry and Biophysics, Vol. 259, No. 2, pp. 627-638, 1987
2/24/06 ✓	84	Hirabayashi et al., "The Protein Activator Specific for the Enzymic Hydrolysis of G_{M2} Ganglioside in Normal Human Brain and Brains of Three Types of G_{M2} Gangliosidosis", Journal of Neurochemistry, Vol. 40, No. 1, pp. 168-175, 1983
2/24/06 ✓	85	Bos et al., "Copurification of P6, MRP8, and MRP14 from Human Granulocytes and Separation of Individual Proteins ¹ ", Protein Expression and Purification, pp. 313-318, 1998, vol. 13
2/24/06 ✓	86	"Les Transcrits Subissent une Maturation Nucleaire Qui Debutte Avant Que La Transcription Ne Soit Achevee", Du Genotype Au Phenotype, pp. 73-77
2/24/06 ✓	87	"Molecular cloning-A laboratory manual", CHS Laboratory, Cold Spring, 1982, Table of Contents only pp. v-x
2/24/06 ✓	88	Remington's Pharmaceutical Sciences, Mack Publishing, 16 th Edition, 1980, Table of Contents only, p. xiii
2/24/06 ✓	89	Li et al., "Characterization of a Nonspecific Activator Protein for the Enzymatic Hydrolysis of Glycolipids*", Journal of Biological Chemistry, Vol. 263, No. 14, pp. 6588-6591, 1988


EXAMINER




DATE CONSIDERED

2/24/06

Examiner: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Date: June 4, 2002

Sheet 1 of 1

Form PTO-1449 (REV. 8-83)		US Dept. of Commerce PATENT & TRADEMARK OFFICE		ATTY DOCKET NO. 111664		APPLICATION NO. 10/030,937	
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)				APPLICANTS Dominique ROECKLIN et al.			
				FILING DATE May 24, 2002			
U.S. PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	
FOREIGN PATENT DOCUMENTS							
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)							
	1	Furst et al., "The complete amino-acid sequences of human ganglioside GM2 activator protein and cerebroside sulfate activator protein", Eur. J. Biochem, pp. 709-714, 1990					
	2	Yang et al., "Monoclonal T Cells Identified in Early NOD Islet Infiltrates", Immunity, Vol. 4, pp. 189-194, 1996					
EXAMINER 				DATE CONSIDERED 2/26/04			
Examiner: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

Date: June 11, 2002

2/26/04